

WEST Search History

DATE: Tuesday, April 01, 2003

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|--|--|------------------|-----------------|
| side by side | | result set | |
| <i>DB=JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ</i> | | | |
| L70 | L66 and L68 | 0 | L70 |
| L69 | L65 and L68 | 0 | L69 |
| L68 | L63 and L67 | 7 | L68 |
| L67 | L62 and L64 | 758 | L67 |
| L66 | (treat near5 (diabetese or hyperglycemia or high blood glucose or high blood sugar or non-insulin dependent diabetes or insulin non-dependent diabetes)) | 75 | L66 |
| L65 | (treat near5 (obesity or obese\$10)) | 1735 | L65 |
| L64 | berry or fruit or ((berry or fruit) near5 extract) | 56052 | L64 |
| L63 | (ginsenoside or aglycone-protopanaxtriol or aglycone-protopanaxadiol or panaxoside or triterpene glycoside) (Panax ginseng or Panax quinquefolius or Panax quinque\$6 or PAnax\$11 or ginseng or american ginseng or korean ginseng or chinese ginseng or russian ginseng or \$10ginseng) | 280 | L63 |
| L62 | (ginsenoside near5 Re) near5 ((\$10ginseng) near5 berry or fruit) | 4921 | L62 |
| L61 | (ginsenoside near5 Re) near5 (((\$10ginseng) near5 berry or fruit) | 0 | L61 |
| <i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i> | | | |
| L60 | (ginsenoside near5 Re) near5 (((\$10ginseng) near5 berry or fruit)) | 1 | L60 |
| <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | | |
| L59 | L47 and L57 | 1 | L59 |
| L58 | L48 and L57 | 0 | L58 |
| L57 | L52 and L56 | 35 | L57 |
| L56 | L50 and L51 | 35 | L56 |
| L55 | L54 | 1 | L55 |
| L54 | L47 and L46 | 1 | L54 |
| L53 | L48 and L46 | 0 | L53 |
| L52 | L49 and L46 | 51 | L52 |
| L51 | L45 and L46 | 78 | L51 |
| L50 | L45 and L49 | 350 | L50 |
| L49 | berry or fruit or ((berry or fruit) near5 extract) | 53033 | L49 |
| L48 | (treat near5 (diabetese or hyperglycemia or high blood glucose or high blood sugar or non-insulin dependent diabetes or insulin non-dependent diabetes)) | 64 | L48 |
| L47 | (treat near5 (obesity or obese\$10)) | 366 | L47 |
| L46 | (ginsenoside or aglycone-protopanaxtriol or aglycone-protopanaxadiol or panaxoside or triterpene glycoside) | 141 | L46 |

| | | | |
|---------------------------------------|---|------|-----|
| L45 | (Panax ginseng or Panax quinquefolius or Panax quinque\$6 or PAanax\$11 or ginseng or american ginseng or korean ginseng or chinese ginseng or russian ginseng or \$10ginseng) | 854 | L45 |
| L44 | (Panax ginseng or Panax quinquefolius or Panax quinque\$6 or PAanax\$11 or ginseng or american ginseng or korean ginseng or chinese ginseng or russian ginseng or \$10 ginseng) | 852 | L44 |
| <i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i> | | | |
| L43 | (ginsenoside or ginseng saponins) same (treat near5 (diabetes or hyperglycemia or high blood sugar or high blood glucose)) | 2 | L43 |
| <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | | |
| L42 | ginsenoside same (diabetes or hyperglycemia or high blood sugar) | 1 | L42 |
| L41 | L30 and L28 | 0 | L41 |
| L40 | L27 and L28 | 0 | L40 |
| L39 | L23 and L30 | 1 | L39 |
| L38 | L28 and L35 | 0 | L38 |
| L37 | L31 and L35 | 0 | L37 |
| L36 | L30 and L25 | 0 | L36 |
| L35 | L30 and L27 | 17 | L35 |
| L34 | L30 and L31 | 0 | L34 |
| L33 | L30 with L31 | 0 | L33 |
| L32 | L30 near5 L31 | 0 | L32 |
| L31 | L25 near L27 | 5 | L31 |
| L30 | ginsenoside near5 (Re or Rd or Rb or Rc) | 18 | L30 |
| L29 | Method near5 (treat same (obesity or obese or obese\$9)) | 26 | L29 |
| L28 | Method near5 (treat same (diabetes or hyperglycemia or high blood sugar or high blood glucose)) | 32 | L28 |
| L27 | Ginseng or Panax\$9 or Panax ginseng or Panax quinquefolius | 852 | L27 |
| L26 | Ginseng or Panax \$9 or Panax ginseng or Panax quinquefolius | 830 | L26 |
| L25 | (berry or fruit) near5 (extract or component or composition) | 3024 | L25 |
| L24 | (berry or fruit) near5 (extract or component or coposition) | 2031 | L24 |
| L23 | (anti near5 (diabetes or hyperglycemia or high blood sugar or high blood glucose)) or hypoglycemic or ((lowereing) near5 blood sugar or blood glucose) | 6381 | L23 |
| L22 | L2 and L4 | 1 | L22 |
| L21 | L2 and L5 | 0 | L21 |
| L20 | L2 and L4 | 1 | L20 |
| L19 | L2 and L6 | 0 | L19 |
| L18 | L2 and L13 | 0 | L18 |
| L17 | L12 and L6 | 0 | L17 |
| L16 | L12 and L5 | 0 | L16 |
| L15 | L12 and L4 | 0 | L15 |

| | | | |
|-----|-------------------|------|-----|
| L14 | L12 and L13 | 0 | L14 |
| L13 | L4 and L5 | 30 | L13 |
| L12 | L2 and L3 | 3 | L12 |
| L11 | L8 and L10 | 0 | L11 |
| L10 | L2 and L9 | 2 | L10 |
| L9 | L3 and L1 | 40 | L9 |
| L8 | L4 and L7 | 1 | L8 |
| L7 | L5 and L6 | 3 | L7 |
| L6 | 514/909 | 255 | L6 |
| L5 | 514/884 | 105 | L5 |
| L4 | 514/866 | 1033 | L4 |
| L3 | ((424/777)!CCLS.) | 104 | L3 |
| L2 | ((424/728)!CCLS.) | 108 | L2 |
| L1 | ((424/725)!CCLS.) | 650 | L1 |

END OF SEARCH HISTORY

Case Creation Option

Case "09974749" already exists. Please overwrite it or cancel the operation.

The Contents of Case "09974749"

| Qnum | Query | DB Name | Thesaurus | Operator | Plural |
|------|---|---------|-----------|----------|--------|
| Q1 | ((424/725)!.CCLS.) | USPT | None | ADJ | YES |
| Q2 | (((424/728)!.CCLS.)) | USPT | None | ADJ | YES |
| Q3 | (((424/777)!CCLS.)) | USPT | None | ADJ | YES |
| Q4 | 514/866 | USPT | None | ADJ | YES |
| Q5 | 514/884 | USPT | None | ADJ | YES |
| Q6 | 514/909 | USPT | None | ADJ | YES |
| Q7 | Q5 and Q6 | USPT | None | ADJ | YES |
| Q8 | Q4 and Q7 | USPT | None | ADJ | YES |
| Q9 | Q3 and Q1 | USPT | None | ADJ | YES |
| Q10 | Q2 and Q9 | USPT | None | ADJ | YES |
| Q11 | Q8 and Q10 | USPT | None | ADJ | YES |
| Q12 | Q2 and Q3 | USPT | None | ADJ | YES |
| Q13 | Q4 and Q5 | USPT | None | ADJ | YES |
| Q14 | Q12 and Q13 | USPT | None | ADJ | YES |
| Q15 | Q12 and Q4 | USPT | None | ADJ | YES |
| Q16 | Q12 and Q5 | USPT | None | ADJ | YES |
| Q17 | Q12 and Q6 | USPT | None | ADJ | YES |
| Q18 | Q2 and Q13 | USPT | None | ADJ | YES |
| Q19 | Q2 and Q6 | USPT | None | ADJ | YES |
| Q20 | Q2 and Q4 | USPT | None | ADJ | YES |
| Q21 | Q2 and Q5 | USPT | None | ADJ | YES |
| Q22 | Q2 and Q4 | USPT | None | ADJ | YES |
| Q23 | (anti near5 (diabetes or hyperglycemia or high blood sugar or high blood glucose)) or hypoglycemic or | USPT | None | ADJ | YES |

| | | | | | |
|-----|---|-----------|------|-----|-----|
| | ((lowereing) near5 blood sugar or blood glucose) | | | | |
| Q24 | (berry or fruit) near5 (extract or component or coposition) | USPT | None | ADJ | YES |
| Q25 | (berry or fruit) near5 (extract or component or composition) | USPT | None | ADJ | YES |
| Q26 | Ginseng or Panax \$9 or Panax ginseng or Panax quinquefolius | USPT | None | ADJ | YES |
| Q27 | Ginseng or Panax\$9 or Panax ginseng or Panax quinquefolius | USPT | None | ADJ | YES |
| Q28 | Method near5 (treat same (diabetes or hyperglycemia or high blood sugar or high blood glucose)) | USPT | None | ADJ | YES |
| Q29 | Method near5 (treat same (obesity or obese or obese\$9)) | USPT | None | ADJ | YES |
| Q30 | ginsenoside near5 (Re or Rd or Rb or Rc) | USPT | None | ADJ | YES |
| Q31 | Q25 near Q27 | USPT | None | ADJ | YES |
| Q32 | Q30 near5 Q31 | USPT | None | ADJ | YES |
| Q33 | Q30 with Q31 | USPT | None | ADJ | YES |
| Q34 | Q30 and Q31 | USPT | None | ADJ | YES |
| Q35 | Q30 and Q27 | USPT | None | ADJ | YES |
| Q36 | Q30 and Q25 | USPT | None | ADJ | YES |
| Q37 | Q31 and Q35 | USPT | None | ADJ | YES |
| Q38 | Q28 and Q35 | USPT | None | ADJ | YES |
| Q39 | Q23 and Q30 | USPT | None | ADJ | YES |
| Q40 | Q27 and Q28 | USPT | None | ADJ | YES |
| Q41 | Q30 and Q28 | USPT | None | ADJ | YES |
| Q42 | ginsenoside same (diabetes or hyperglycemia or high blood sugar) | USPT | None | ADJ | YES |
| Q43 | (ginsenoside or ginseng saponins) same (treat near5 (diabetes or hyperglycemia or high blood sugar or high blood glucose)) | USPT,PGPB | None | ADJ | YES |
| Q44 | (Panax ginseng or Panax quinquefolius or Panax quinque\$6 or PAnax\$11 or ginseng or american ginseng or korean ginseng orn chinese ginseng or russian ginseng or \$10 ginseng) | USPT | None | ADJ | YES |

| | | | | | |
|-----|---|----------------|------|-----|-----|
| Q45 | (Panax ginseng or Panax quinquefolius or Panax quinque\$6 or PAnax\$11 or ginseng or american ginseng or korean ginseng or chinese ginseng or russian ginseng or \$10ginseng) | USPT | None | ADJ | YES |
| Q46 | (ginsenoside or aglycone-protopanaxystriol or aglycone-protopanaxadiol or panaxoside or triterpene glycoside) | USPT | None | ADJ | YES |
| Q47 | (treat near5 (obesity or obese\$10)) | USPT | None | ADJ | YES |
| Q48 | (treat near5 (diabetes or hyperglycemia or high blood glucose or high blood sugar or non-insulin dependent diabetes or insulin non-dependent diabetes)) | USPT | None | ADJ | YES |
| Q49 | berry or fruit or ((berry or fruit) near5 extract) | USPT | None | ADJ | YES |
| Q50 | Q45 and Q49 | USPT | None | ADJ | YES |
| Q51 | Q45 and Q46 | USPT | None | ADJ | YES |
| Q52 | Q49 and Q46 | USPT | None | ADJ | YES |
| Q53 | Q48 and Q46 | USPT | None | ADJ | YES |
| Q54 | Q47 and Q46 | USPT | None | ADJ | YES |
| Q55 | Q54 | USPT | None | ADJ | YES |
| Q56 | Q50 and Q51 | USPT | None | ADJ | YES |
| Q57 | Q52 and Q56 | USPT | None | ADJ | YES |
| Q58 | Q48 and Q57 | USPT | None | ADJ | YES |
| Q59 | Q47 and Q57 | USPT | None | ADJ | YES |
| Q60 | (ginsenoside near5 Re) near5 ((\$10ginseng) near5 berry or fruit) | USPT,PGPB | None | ADJ | YES |
| Q61 | (ginsenoside near5 Re) near5 ((\$10ginseng) near5 berry or fruit) | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q62 | (Panax ginseng or Panax quinquefolius or Panax quinque\$6 or PAnax\$11 or ginseng or american ginseng or korean ginseng or chinese ginseng or russian ginseng or \$10ginseng) | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q63 | (ginsenoside or aglycone-protopanaxystriol or aglycone-protopanaxadiol or panaxoside or triterpene glycoside) | JPAB,EPAB,DWPI | None | ADJ | YES |

| | | | | | |
|-----|---|----------------|------|-----|-----|
| Q64 | berry or fruit or ((berry or fruit) near5 extract) | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q65 | (treat near5 (obesity or obese\$10)) | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q66 | (treat near5 (diabetes or hyperglycemia or high blood glucose or high blood sugar or non-insulin dependent diabetes or insulin non-dependent diabetes)) | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q67 | Q62 and Q64 | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q68 | Q63 and Q67 | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q69 | Q65 and Q68 | JPAB,EPAB,DWPI | None | ADJ | YES |
| Q70 | Q66 and Q68 | JPAB,EPAB,DWPI | None | ADJ | YES |
